

# 10551671\_CLSTI TLES

Titles of most frequently occurring classifications of patents returned from a search of 10551671 on Nov 07, 2008

- 4 375/ E7. 081 (0 OR, 4 XR)  
Class 375 PULSE OR DI GI TAL COMMUNI CATI ONS  
375/ E7. 001 . SYSTEMS FOR THE TRANSM SSI ON OF TELEVI SI CN SI GNALS USI NG  
PULSE CODE MODULATI ON ( EPO)  
375/ E7. 026 .. Usi ng bandwidth reduction ; source coding or decoding of  
di gi tal vi deo si gnal , e. g. , di gi tal vi deo si gnal compressi on; Pre- or postprocessi ng  
ther ef or ( EPO)  
375/ E7. 076 ... Involvi ng vi deo obj ect s ( EPO)  
375/ E7. 081 .... Shape codi ng ther ef or ( EPO)
- 3 382/ 174 (2 OR, 1 XR)  
Class 382 I MAGE ANALYSI S  
382/ 173 . I MAGE SEGMENTATI ON  
382/ 174 .. Usi ng projecti ons ( i. e. , shadow or profile of character s)
- 3 345/ 441 (0 OR, 3 XR)  
Class 345 COMPUTER GRAPHI CS PROCESSI NG AND SELECTI VE VI SUAL DI SPLAY  
SYSTEMS  
345/ 418 . COMPUTER GRAPHI CS PROCESSI NG  
345/ 441 .. Shape gener ati ng
- 3 345/ 419 (1 OR, 2 XR)  
Class 345 COMPUTER GRAPHI CS PROCESSI NG AND SELECTI VE VI SUAL DI SPLAY  
SYSTEMS  
345/ 418 . COMPUTER GRAPHI CS PROCESSI NG  
345/ 419 .. Thr ee- di mensi on
- 3 382/ 177 (2 OR, 1 XR)  
Class 382 I MAGE ANALYSI S  
382/ 173 . I MAGE SEGMENTATI ON  
382/ 177 .. Segmenti ng indi vi dual character s or words
- 3 382/ 203 (0 OR, 3 XR)  
Class 382 I MAGE ANALYSI S  
382/ 181 . PATTERN RECOGNI TI ON  
382/ 190 .. Feature extracti on  
382/ 195 ... Local or regi onal features  
382/ 203 .... Shape and form analysi s
- 3 382/ 154 (3 OR, 0 XR)  
Class 382 I MAGE ANALYSI S  
382/ 100 . APPLI CATI ONS  
382/ 154 .. 3- D or stereo i magi ng analysi s
- 3 348/ E13. 005 (0 OR, 3 XR)  
Class 348 TELEVI SI ON  
348/ E13. 001 . STEREOSCOPI C TELEVI SI ON SYSTEMS; DETAI LS THEREOF ( EPO)  
348/ E13. 002 .. Systems where the three- di mensi onal effect i s obt ai ned by  
means of at least two 2D i mage si gnals from di fferent vi ewpoi nt l ocati ons  
representi ng the inter ocular di stance ( EPO)  
348/ E13. 003 ... Stereoscopic i mage si gnal gener ati on ( EPO)  
348/ E13. 004 .... Usi ng a stereoscopic i mage camera ( EPO)  
348/ E13. 005 ..... Havi ng a si ngle 2D i mage pi ckup sensor ( EPO)
- 3 348/ E13. 014 (0 OR, 3 XR)  
Class 348 TELEVI SI ON  
348/ E13. 001 . STEREOSCOPI C TELEVI SI ON SYSTEMS; DETAI LS THEREOF ( EPO)  
348/ E13. 002 .. Systems where the three- di mensi onal effect i s obt ai ned by  
means of at least two 2D i mage si gnals from di fferent vi ewpoi nt l ocati ons

representing the interocular distance (EPO)

348/E13.003 ... Stereoscopic image signal generation (EPO)

348/E13.004 .... Using a stereoscopic image camera (EPO)

348/E13.014 ..... Having two 2D image pickup sensors representing the interocular distance (EPO)

3 348/E13.015 (0 OR, 3 XR)

Class 348 TELEVISION

348/E13.001 . STEREOSCOPI C TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/E13.002 .. Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/E13.003 ... Stereoscopic image signal generation (EPO)

348/E13.004 .... Using a stereoscopic image camera (EPO)

348/E13.015 ..... Having more than two 2D image pickup sensors (EPO)

3 348/E13.016 (0 OR, 3 XR)

Class 348 TELEVISION

348/E13.001 . STEREOSCOPI C TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/E13.002 .. Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/E13.003 ... Stereoscopic image signal generation (EPO)

348/E13.004 .... Using a stereoscopic image camera (EPO)

348/E13.016 ..... Calibration aspects (EPO)

3 348/E13.018 (0 OR, 3 XR)

Class 348 TELEVISION

348/E13.001 . STEREOSCOPI C TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/E13.002 .. Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/E13.003 ... Stereoscopic image signal generation (EPO)

348/E13.004 .... Using a stereoscopic image camera (EPO)

348/E13.018 ..... In combination with an electromagnetic radiation source for illuminating the subject (EPO)

3 348/E13.019 (0 OR, 3 XR)

Class 348 TELEVISION

348/E13.001 . STEREOSCOPI C TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/E13.002 .. Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/E13.003 ... Stereoscopic image signal generation (EPO)

348/E13.019 ..... Color aspects (EPO)

3 348/E13.025 (0 OR, 3 XR)

Class 348 TELEVISION

348/E13.001 . STEREOSCOPI C TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/E13.002 .. Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/E13.003 ... Stereoscopic image signal generation (EPO)

348/E13.025 ..... Synchronization or controlling aspects (EPO)

3 348/E13.061 (0 OR, 3 XR)

Class 348 TELEVISION

348/E13.001 . STEREOSCOPI C TELEVISION SYSTEMS; DETAILS THEREOF (EPO)

348/E13.002 .. Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance (EPO)

348/E13.06 ..... Stereoscopic image signal coding, multiplexing, processing, recording or transmission (EPO)

348/ E13. 061 . . . . Col or aspect s ( EPO)

3 348/ E13. 062 ( 0 OR, 3 XR)

Class 348 TELEVI SI ON

348/ E13. 001 . STEREOSCOPI C TELEVI SI ON SYSTEMS; DETAI LS THEREOF ( EPO)

348/ E13. 002 . . Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance ( EPO)

348/ E13. 06 . . . Stereoscopic image signal coding, multiplexing, processing, recording or transmission ( EPO)

348/ E13. 062 . . . . Coding or decoding stereoscopic image signals ( EPO)

3 348/ E13. 071 ( 0 OR, 3 XR)

Class 348 TELEVI SI ON

348/ E13. 001 . STEREOSCOPI C TELEVI SI ON SYSTEMS; DETAI LS THEREOF ( EPO)

348/ E13. 002 . . Systems where the three-dimensional effect is obtained by means of at least two 2D image signals from different viewpoint locations representing the interocular distance ( EPO)

348/ E13. 06 . . . Stereoscopic image signal coding, multiplexing, processing, recording or transmission ( EPO)

348/ E13. 071 . . . . Transmission of stereoscopic image signals ( EPO)

2 382/ 242 ( 1 OR, 1 XR)

Class 382 I MAGE ANALYSI S

382/ 232 . I MAGE COMPRESSI ON OR CODI NG

382/ 242 . . Contour or chain coding ( e. g. , Bezi er)

2 382/ 241 ( 1 OR, 1 XR)

Class 382 I MAGE ANALYSI S

382/ 232 . I MAGE COMPRESSI ON OR CODI NG

382/ 241 . . Polygonal approxi mat i on

2 382/ 238 ( 0 OR, 2 XR)

Class 382 I MAGE ANALYSI S

382/ 232 . I MAGE COMPRESSI ON OR CODI NG

382/ 238 . . Predi ctive coding

2 295/ 11 ( 1 OR, 1 XR)

Class 295 RAI LWAY WHEELS AND AXLES

295/ 1 . WHEELS

295/ 11 . . Tire cushi ons

2 295/ 15 ( 1 OR, 1 XR)

Class 295 RAI LWAY WHEELS AND AXLES

295/ 1 . WHEELS

295/ 15 . . Tire fasteners

2 295/ 21 ( 0 OR, 2 XR)

Class 295 RAI LWAY WHEELS AND AXLES

295/ 1 . WHEELS

295/ 21 . . Webs

2 295/ 44 ( 0 OR, 2 XR)

Class 295 RAI LWAY WHEELS AND AXLES

295/ 44 . LOOSE WHEEL

2 382/ 151 ( 2 OR, 0 XR)

Class 382 I MAGE ANALYSI S

382/ 100 . APPLI CATI ONS

382/ 141 . . Manufactur ing or product inspection

382/ 145 . . . Inspection of semiconductor device or printed circuit

board

382/ 151 . . . . Alignment , regi stration , or position det ermi nation

# 10551671\_CLSTI TLES

- 2 382/ 291 (0 OR, 2 XR)  
 Class 382 IMAGE ANALYSI S  
 382/ 276 . IMAGE TRANSFORMATI ON OR PREPROCESSI NG  
 382/ 286 .. Measuring image properties (e.g., length, width, or area)  
 382/ 291 ... Determining the position of an object
- 2 700/ 187 (1 OR, 1 XR)  
 Class 700 DATA PROCESSI NG: GENERI C CONTROL SYSTEMS OR SPECI FI C  
 APPLI CATI ONS  
 700/ 90 . SPECI FI C APPLI CATI ON, APPARATUS OR PROCESS  
 700/ 95 .. Product assembly or manufacturing  
 700/ 117 ... Particular manufactured product or operation  
 700/ 159 .... Machini ng  
 700/ 186 ..... Di gital positioni ng techni que  
 700/ 187 ..... For curve or contour
- 2 382/ 289 (0 OR, 2 XR)  
 Class 382 IMAGE ANALYSI S  
 382/ 276 . IMAGE TRANSFORMATI ON OR PREPROCESSI NG  
 382/ 286 .. Measuring image properties (e.g., length, width, or area)  
 382/ 289 ... Determining amount an image is rotated or skewed
- 2 345/ 471 (1 OR, 1 XR)  
 Class 345 COMPUTER GRAPHI CS PROCESSI NG AND SELECTI VE VI SUAL DI SPLAY  
 SYSTEMS  
 345/ 418 . COMPUTER GRAPHI CS PROCESSI NG  
 345/ 467 .. Character generati ng  
 345/ 471 ... Alterati on of stored font
- 2 382/ 199 (1 OR, 1 XR)  
 Class 382 IMAGE ANALYSI S  
 382/ 181 . PATTERN RECOGNI TI ON  
 382/ 190 .. Feature extracti on  
 382/ 195 ... Local or regional features  
 382/ 199 .... Pattern boundary and edge measur ement s
- 2 345/ 468 (2 OR, 0 XR)  
 Class 345 COMPUTER GRAPHI CS PROCESSI NG AND SELECTI VE VI SUAL DI SPLAY  
 SYSTEMS  
 345/ 418 . COMPUTER GRAPHI CS PROCESSI NG  
 345/ 467 .. Character generati ng  
 345/ 468 ... Character geometry processi ng
- 2 250/ 559. 23 (0 OR, 2 XR)  
 Class 250 RADI ANT ENERGY  
 250/ 200 . PHOTOCELLS; CI RCUI TS AND APPARATUS  
 250/ 559. 01 .. With circuit for evaluating a web, strand, strip, or sheet  
 250/ 559. 19 ... Measuring dimensi ons  
 250/ 559. 22 .... Profile  
 250/ 559. 23 ..... With triangul ati on